EXTRUDER + MIXER | COUNTER TOP

MODEL AEX30

IMPROVING ON THE ORIGINAL









STANDARD FEATURES

- Stainless steel mixer & extruder— all-in-one process
- Up to 30 lbs hourly production, 11.5 lbs per batch
- Over 150 dies to choose from
- Digital display for ease of use
- Recipe storage with programmable pre-set mixing and extruding speeds
- Includes automatic cutting knife for short pastas
- Water cooling feature to help maintain a constant extrusion temperature with digital temperature readout
- Industrial, high-torque motor, 120 Volts
- Crumbly dough mixture is extruded through a solid brass die to create over 150 possible pasta shapes
- Removable auger & stainless steel mixing arm for easy cleaning
- Portable, compact & versatile machine is easy-to-use
- Factory and on-location training. The Only Full-Service Pasta Machine Manufacturer in North America!

OPTIONAL FEATURES & ACCESSORIES

- □ Pasta trays Perforated Dim: 15.5"W x 23.5"D x 2.75"H
- □ Pasta trays Solid Dim: 15.5"W x 23.5"D x 2.75"H
- ☐ APC8 Mobile pasta cart with 8 trays
- ☐ APC20 Mobile pasta cart with 20 trays
- ☐ Cooling water tank with recirculating pump & automatic on/off feature
- ☐ Lasagna sheet die with 6.8" dough sheet width and Adjustable Thickness: 1/32" - 3/16"
- ☐ Rolling pin for lasagna sheet die
- □ Extruder dies with Teflon inserts



WHAT'S NEW?

Larger volume mixing & extruding hopper Digital display for ease of use Programmable recipe storage with

adjustable mixing & extruding speeds

Cutting knife holder Updated Ergonomic design



CAD file available. Please contact factory 717-394-1402.

©2021 Arcobaleno®, LLC

Optional **APC8 Pasta Cart**



EXTRUDER & MIXER | COUNTER TOP

MODEL AEX30

ARCOBALENO

TECHNICAL SPECIFICATIONS

Model	AEX30
Hourly Production*	Up to 30 lbs/hr *Production varies by pasta shape
Mixer Capacity (flour)	4,000 g (8.8 lbs)
Mixer Production (flour + liquid)	5,200 g/batch (11.5 lbs/batch)
Electrical Power	120V 60Hz 8 Amps
Nema Plug	5-15
Cord Length	4 ft
Water Connection	1/2" BARB outlet & inlet hose connection. Outlet connects to waste line & inlet connects to water line.
Machine Dimensions	15.5"W x 25"D x 24"H 15.5"W x 35"D x 24"H (with knife)
Shipping Dimensions	21″W x 32″D x 32″H
Machine Weight	123 lbs
Shipping Weight	155 lbs
Shipping Class	85

PAYS FOR ITSELF IN 30 DAYS!

AEX30 ROI BREAKDOWN

Semolina Flour Cost







50 LB BAG OF SEMOLINA FLOUR = \$25 YIELDS 80 LBS OF FRESH PASTA

MAKES 160 -

ONLY **\$0.16** PER 8 oz SERVING!

AEX30 Production



AEX30 PRODUCES 11.5 LBS (183 OZ) PER



MAKES 22 8 OZ SERVINGS PER BATCH

Pay Off - 30 Days

\$1<mark>2-1</mark>5

30

AVERAGE COST OF 8 OZ PASTA DISH 30 PASTA DISHES SOLD PER DAY = \$360-450

ROI calculations are examples for illustrative purposes only and actual costs may vary therefore; Arcobaleno, LLC cannot promise or guarantee the ROI benefits.



OPTIONAL WATER COOLING TANK

No plumbing required!

Larger volume hopper



Digital display

∮120 Volts

Cutting knife holder

SEMOLINA FLOUR RECIPE FOR AEX30

141–142 oz of Semolina Flour (4,000 grams) 42–43 oz of Water (1200 grams) Note: This may vary upon kitchen humidity & environment. Please adjust accordingly.

EGG PASTA RECIPE FOR AEX30

141-142 oz of Semolina flour 12 Whole Large Eggs = 21 oz* \leftarrow

Eggs + Water must be whisked together before adding to the flour.

21 oz of Water before adding to the flo

*Note: 1 Large Egg = 1.75 - 1.8 oz


This may vary upon egg size. Please adjust accordingly.

DIRECTIONS FOR SEMOLINA FLOUR + WATER:

Put semolina flour in the hopper and press mix. Drizzle 41 oz of water into the hopper while mixing. After 1 minute, it should begin to resemble a course streusel. Check the consistency by grabbing a handful of dough and open your palm. If you see any dry flour, drizzle the remaining liquid (2 oz) while in mix mode for 30 seconds—then begin to extrude.



FOR MODELS AEX30 STELLA





BIGOLI —		
	#13	3 mm
	#14	3.5 mm 🚺
	#15	4 mm
LINGUINE	<u> </u>	




new = New Dies 🙏 = Favorite Dies 🖑 = Hand Cut Only

SPAGHETTI/ALLA TONARELLI	CHIT	ARRA/
TONARELLI		
	#23	1.5 mm
	#24	2 mm 👃
	#26	2.5 mm
	#27	3 mm

DID YOU KNOW?

Teflon dies are available for smooth texture and used for Gluten Free and Non Traditional Recipes.

Our #23 Teflon and #24 Teflon dies can be used to make ramen. Call for more information!





#21

#21A

#22

3 x 1.6 mm


3.5 x 1.6 mm


4 x 1.6 mm

FOR MODELS AEX30 STELLA

PAPPARDELLE










#263 17 mm Sagnarelli [with ridges]

MAFALDE -





MM to INCHES Conversion Chart





Dime = 17mm (11/16")

Penny = 19mm (3/4")





Nickel = 21mm (7/8")

Quarter = 24mm (15/16")

21mm (7	7/8") 24mm (15/16")
ММ	Approx. Size in Inches
1mm	1/32"
2mm	1/16"
3mm	3/32"
4mm	1/8"
5mm	3/16"
6mm	slightly less than 1/4"
7mm	slightly more than 1/4"
8mm	5/16"
9mm	slightly less than 3/8"
10mm	slightly more than 3/8"
11mm	7/16"
12mm	slightly less than 1/2"
13mm	slightly more than 1/2"
14mm	9/16"
15mm	slightly less than 5/8"
16mm	5/8"
17mm	slightly less than 11/16"
18mm	slightly less than 3/4"
19mm	slightly more than 3/4"
20mm	slightly less than 13/16"
21mm	slightly more than 13/16"
22mm	slightly less than 7/8"
23mm	slightly more than 7/8"
24mm	15/16"
25mm	about 1"
26mm	about 1 1/32"
27mm	about 1 1/16"
28mm	about 1 1/8"
29mm	about 1 5/32"
30mm	about 1 3/16"
31mm	about 1 7/32"
32mm	slightly more than 1 1/4"
33mm	about 1 5/16"
34mm	about 1 1/32"

FOR MODELS AEX30 STELLA







BUCATINI/PERCIATELLI



ZITI/PACCHERI



RIGATONI



FOR MODELS AEX30 STELLA







RIGATONI



#83 26.5 mm 쩆 🖱 [1.4 mm wall thickness] [with ridges]



#85 10.5 mm [1.05 mm wall thickness] [with ridges]



#84 23 mm 🐷 🖱 [1.3 mm wall thickness] [with ridges]



#86 13.5 mm ew [1.2 mm wall thickness] [with ridges]



#87 17.5 mm 🖦 [1.2 mm wall thickness] [with ridges]

ELICOIDALI

Reversed Ridges



#110 6 mm [with ridges]



#112 9.5 mm [with ridges]

GRAMIGNE



#91 3 mm



#92 4 mm 🙏



3.8 mm new [with ridges]

CANESTRI/LUMACHE [SMOOTH]



#94 7.8 mm



#95 9.8 mm



#96 12.5 mm



#97 15 mm



CANESTRI/LUMACHE [WITH RIDGES]



#99 8.6 mm



#100 10.5 mm



#101 13.5 mm 👃



#102 16 mm



#438 26 mm 🚭 🕛

FOR MODELS AEX30 STELLA







MACARONI [SMOOTH]















#120 3.2 mm #121 4.2 mm #122 6 mm

#123 new 7.8 mm

#124 9.8 mm

#125 12.5 mm

#126 15 mm

MACARONI [WITH RIDGES]







#134 13.5 mm

DID YOU KNOW?

Teflon dies are available for smooth texture and used for Gluten Free and Non Traditional Recipes. Call for more information!

CRESTE DE GALLO [SMOOTH]



#138 6.2 mm



#139 7.8 mm



#140 9.6 mm

CRESTE DE GALLO [WITH RIDGES] -



#143 7 mm



#144 8.6 mm



#145 10 mm 👃



SHELLS [SMOOTH] -





#161 21 mm ••••



SHELLS [WITH RIDGES]





#170 15 mm 🚾 #171 21 mm



#172 28 mm 🦶

#160 15 mm

FOR MODELS AEX30 STELLA











#181 18 mm 🙏



#182 18 mm 🙏 [with ridges]

GNOCCHI SARDI

[SMOOTH]

#193 19.5 mm

GNOCCHI SARDI [WITH RIDGES]







#192 19 mm 🚾 #192/04 19 mm 🚾 #195 19 mm 👃







#190 12 mm #191 19 mm

#196 25 mm •••• •••

CLAM SHELLS [SMOOTH] — | CLAM SHELLS [WITH RIDGES]



#208 18 mm



#210 27 mm



#209 18 mm



#211 27 mm



CASARECCE



GEMELLI

#214 6.4 mm



#215 8.8 mm



#216 new 14.2 mm



#219 new 7.8 mm



#220 👃 8.8 mm



#221 new 12 mm



#227 12 mm

FOR MODELS AEX30 STELLA









SHAPES ON SHAPES ON SHAPES



#251 10.4 mm Trottole

#249 11.4 mm 🚾 Campanelle [with ridges]

#252 11.4 mm 🕓 Campanelle

#253 28 mm ••• •• Londa

#254 11 mm Torchietti [with ridges]

#256 18 mm new

FOR MODELS AEX30 STELLA









#258 12.5 mm Specialty 3-Loop



#260 17.5 mm Radiatori



25 mm 🚭 🖱 #261 Radiatori



#262 19 mm 🚾 Bumbola



#264 11.4 mm **Smooth Trene**



#386 10 mm Trene [with ridges]



#392 10mm Square Rigatoni [with ridges]



#270 16.5 mm Rotelle (Wagon Wheel)



#268 6.6 mm Messinesi



#369 Calamarata



#370 new Girelle



#372 8.8 mm Maccheroncelli



#267 8.3 mm 🥾 Garganelli [with ridges]



#273 6.5 mm Torchietto [with ridges]





#374 Zucca



#384 25 mm 🚭 🕛 Caramelle

FOR MODELS AEX30 STELLA









#362 10 mm 👃 Rustic Torchio [with ridges]



Stella











#399 8.8 mm Trifoglio

#454 15 mm **

Fusilloni



#398 15 mm 🖤 Fiori



#448 24 mm 🚾 🖑 Sunshine



#456 17 mm new Maccherone Greco



#368 10.5 mm Rustic Casarecce [with ridges]



#366 19 mm Large Rustic Fusilloni



SOME OF OUR FUN SHAPES



#509C Star



#509D Shooting Star



#513 Heart



#515 Tennis Racket



#517 Mushroom



#529/02 Bat



#529/04 Pumpkin



#529/06 Spider



#529/08 Ghost



#559 Dollar Sign



#563 Tree



#580 Grapes

FOR MODELS AEX30 STELLA

LASAGNA SHEET DIE





PASTA CARTS & TRAYS

STANDARD FEATURES

- APC7 and APC8 ideal for models AEX10, AEX18 & AEX30 (Standard counter top height)
- · NSF approved

APC7

PASTA ON THE MOVE



APC8 PASTA ON THE MOVE



APC20 TOWER OF PISA





APTP

PERFORATED PASTA TRAY



APTS

SOLID PASTA TRAY



PASTA DRYER

EXTENDS SHELF LIFE OF PASTA

ASD20 - LAB

ARTISAN SMALL BATCH LAB DRYER



· Programmable recipes for different shapes and thicknesses

TECHNICAL SPECIFICATIONS

Trays	20
Tray Size	31.50″W x 23.75″D
Pasta Per Tray	4 - 5 lbs
Fresh Capacity	80 - 100 lbs
Dry Capacity	60 - 80 lbs/cycle
Power	230V/3/60Hz, 16 Amps
Machine Dimensions	40″W x 41″D x 67″H
Shipping Dimensions	49″W x 51″D x 75″H
Machine Weight	411 lbs
Shipping Weight	700 lbs

ASD50/75/100/150/200



STANDARD FEATURES

- · Advanced programmable recipe dryer
- · Fan controls temperature & humidity, so product dries from the inside out



SPECS	ASD50S	ASD50	ASD7
	50	50	75

TECH SPECS	ASDIOO	ASDISO	ASDZUU
TECH SPECS	ASD100	ASD150	ASD200
Shipping Weight	925 lbs	1510 lbs	1650 lbs
Machine Weight	710 lbs	1285 lbs	1390 lbs
Shipping Dimensions	73″W x 44″D x 91″H	78″W x 65″D x 99″H	103″W x 70″D x 91″H
Machine Dimensions	71″W x 41″D x 87″H	71″W x 55″D x 87″H	98.5″W x 65″D x 87″H
Power	208-230V/3/60Hz, 5.5kW	208-230V/3/60Hz, 6.7kW	208-230V/3/60Hz, 8.5kW
Dry Capacity	240 lbs/cycle	320 lbs/cycle	480 lbs/cycle
Fresh Capacity	300 lbs	400 lbs	660 lbs
Pasta per Tray	4 - 6 lbs	6 - 8 lbs	6 - 8 lbs
Irays	50	50	/5

TECH SPECS	ASD100	ASD150	ASD200
Trays	100	150	200
Pasta per Tray	6 - 8 lbs	6 - 8 lbs	6 - 8 lbs
Fresh Capacity	800 lbs	1200 lbs	1600 lbs
Dry Capacity	640 lbs/cycle	960 lbs/cycle	1280 lbs/cycle
Power	208-230V/3/60Hz, 12kW	208-230V/3/60Hz, 18kW	208-230V/3/60Hz, 20kW
Machine Dimensions	98.5″W x 102″D x 87″H	98.5″W x 110″D x 87″H	98.5″W x 134″D x 95″H

■ WARRANTY


One Year: For more information visit arcobalenopasta.com/warranty.html



■ TRY BEFORE YOU BUY

In an effort to ensure success, we maintain a test kitchen where you can have your very own recipe tested for quality - at NO COST to you! Call for details.





FRESHLY MILLED FLOUR

HOW TO DIFFERENTIATE AND BE A LEADER IN FRESH PASTA MAKING

AFM150

FARM TO TABLE FRESH FLOUR
Make fresh flour right when you need it!



STANDARD FEATURES

- Ideal for obtaining fresh flour for pasta, pastries, bread and many others
- · Adjustable grinder for regulating the flour granular
- · Interchangeable sieve screens for different granularity

TECHNICAL SPECIFICATIONS

Hourly Production*	Soft White Wheat 75% extract Up to 150 lbs/hr *Production varies by sieve screen
Electrical Power	220/1/60Hz
Machine Dimensions	20″W x 19.25″D x 35.75″H
Shipping Dimensions	24″W x 20″D x 45″H
Machine Weight	140 lbs
Shipping Weight	190 lbs



Fresh Whole Berries from the farm, fresh ground flour with interchange screens for different textures, is filled with delicious flavor, wholesome goodness, and new pastabilities!

Get ready to join the food revolution and discover fresh ground flour. Exceptional flavor-filled flour to make your fresh pasta with outstanding taste and health benefits.

TYPES OF FLOUR



SEMOLINA

Semolina flour is a granular flour with a light yellow color. It is produced fro durum wheat, which is used almost exclusively for making pasta. It is also high in protein and gluten. When using Semolina flour in a extruder, you will be delighted with superior results!



DURUM WHEAT

Durum wheat has the ideal properties form making the best pasta. It is high in protein and gluten, which are both necessary for pasta making.



WHOLE WHEAT

Whole wheat flour is produced from grinding the full wheat berry (kernel). All parts of the wheat berry are used in the flour including the bran, germ and endosperm; which when milled, creates the speckled brown color that is a characteristic of the flour.



GLUTEN FREE

Gluten is the protein present in wheat flour and it can be challenging to bake without it. Some popular gluten free flours are white rice, buckwheat, millet, masa and chickpea flour.



DOUBLE ZERO

In Italy, flour is classified as 1, 0, or 00, according to how finely ground the flour is and how much bran and germ have been removed. 00 is the most highly refined flour and is talcum powder soft, yet holds its protein and nutritional value.

PURPLE BARLEY + EMMERSPELT + FARRO + BUCKWHEAT + RYE + CHICKPEA + RICE FLOUR + MORE!

MEET THE ARCOBALENO EXTRUDER FAMIGLIA!

HOME + NOVICE CHEF

AEX5 HOME MODEL Up to 5 lbs/hr*



AEX10 FOR THE NOVICE CHEF Up to 9-13 lbs/hr*



COUNTER TOP

AEX18 CHEF'S FAVORITE Up to 15-20 lbs/hr*



AEX30

IMPROVING ON THE ORIGINAL



INDUSTRIAL PASTA EXTRUDERS

AEX50 PUSHING BEYOND EXCELLENCE Up to 50 lbs/hr*



AEX90 THE ARTISAN Up to 90 lbs/hr*



AEX90M



AEX130 IN LOVE WITH PASTA Up to 130 lbs/hr*



AEX130M



AEX440/440M

FACTORY DUTY

Up to 400 lbs/hr* (AEX440) Up to 440 lbs/hr* (AEX440M)





^{*}Extruder production varies by pasta shape

THE ONLY FULL-SERVICE PASTA MACHINE MANUFACTURER IN NORTH AMERICA!





#PastalsForSharing



Specifications subject to change without notice. $@2021\,Arcobaleno^{@}, LLC$

RO_053