






PASTA SHAPE CATALOG FOR ARCOBALENO AEX30 EXTRUDER

160 GREENFIELD ROAD | LANCASTER, PA 17601 ARCOBALENOLLC.COM | 717.394.1402 💿 🎔 🗗 🖻 @ ARCOBALENOPASTA


new = New Dies 🙏 = Favorite Dies


SPAGHETTI






BIGOLI








SPAGHETTI/ALLA CHITARRA/ TONARELLI





#36 10mm



ARCOBALENOLLC.COM | 717.394.1402



	R C O B A L E N O
	to INCHES ersion Chart
LIBIT.	
Dime 17mm (11	
Nickel 21mm (7/	
	Approx. Size in Inches
1mm	1/32"
2mm 3mm	1/26" 3/32"
4mm	1/8"
5mm	3/6"
6mm	slightly less than 1/4"
7mm	slightly more than 1/4"
8mm	5/16"
9mm	slightly less than 3/8"
10mm	slightly more than 3/8"
11mm	7/16"
12mm	slightly less than 1/2"
13mm	slightly more than 1/2"
14mm	9/16"
15mm	slightly less than 5/8"
16mm	5/8"
17mm	slightly less than 11/16"
18mm	slightly less than 3/4"
19mm	slightly more than 3/4"
20mm	slightly less than 13/16"
21mm	slightly more than 13/16"
22mm	slightly less than 7/8"
23mm	slightly more than 7/8"
24mm	15/16"
25mm	about 1"
26mm	about 1 1/32"
27mm	about 1 1/16"
28mm	about 1 1/8"
29mm	about 1 5/32"
30mm	about 1 3/16"
31mm	about 1 7/32"
32mm	slightly more than 1 1/4"
33mm	about 1 5/16"
34mm	about 1 1/32"

EXTRUDED PAS FOR MODELS AEX		Ine	w = New Dies 🙏 = Favorite Dies
BUCATINI/PERCI	ATELLI		
#60 2.5 mm	#61 3 mm 🔕	#62 4 mm	#62A 5mm
		0	C
#63 6mm		#71 6 mm 🞰 m wall thickness]	#72 6.5 mm 🚭 [1.4 mm wall thickness]
ZITI/PACCHERI			
#64 8 mm	#65 10 mm	#66 12 mm 🕓	#67 15 mm
#67/02 17 mm 🞰	#68 20 mm	#69 25 mm 🔇	#70 25 mm 🞰 [1.4 mm wall thickness]
RIGATONI			
	\bigcirc		\bigcirc
#73 12 mm 🞰	#73/02 13	mm new	#73/04 11 mm 🞰
#76 6 mm. [with ridges]	#77 8 mm [with ridges]	#78 10 mm \\ [with ridges]	#79 12 mm 📣 [with ridges]
#80 15 mm [with ridges]	#81 [with	20 mm ridges]	#82 25 mm [with ridges]

RIGATONI







#94 7.8mm

#95 9.8mm

#96 12.5mm

CANESTRI/LUMACHE [WITH RIDGES]





#99 8.6mm







#102 16mm



	EXTRUDED PASTA SHAPES FOR MODELS AEX30 STELLA Image: Stella Stella					🙏 = Favorite Dies
MACAI	RONI [SI	NOOTH]				
V	V	V	V	V		
			#123 new	#124 🙏	#125	#126
3.2 mm	4.2 mm	6 mm	7.8 mm	9.8 mm	12.5 mm	15 mm
	RONI [W		GES]			
#133 10.5 mr		#134 13.5 mm		A.	- Mar - and an	
		LLO [SM	оотні —			
#138 6.2	mm	#139 7.8	mm	#140 9.6 mm		
CREST	E DE GA		TH RIDGES			
#143 7	mm	#144 8.6 m	m ;	#145 10 mm 👃		
SHELL	s [smoc)TH]		SHELLS	WITH RIDGE	S]
#160 15 m	m #161 2	1 mm 🗪 #10	52 28 mm	#170 15 mm	₩171 21 mm	#172 28 mm 🐧

ARCOBALENOLLC.COM | 717.394.1402

ORECCHIETTE [SMOOTH]



ORECCHIETTE [WITH RIDGES]



GNOCCHI SARDI [SMOOTH]



#193 19.5 mm

GNOCCHI SARDI [WITH RIDGES]











#209 18 mm





#190 12 mm #191 19 mm #192 19 mm 👳 #192/04 19 mm 👳 #195 24.5 mm 🔕





#208 18 mm

#210 27 mm



#211 27 mm

#388

🖸 🔰 🗗 🕑 arcobalenopasta

EXTRUDED PASTA SHAPES FOR MODELS AEX30 STELLA new = New Dies 🙏 = Favorite Dies CASARECCE GEMELLI #227 #214 #219 new #220 #221 new #216 new #215 🙏 人 12 mm 6.4 mm 8.8 mm 7.8 mm 12 mm 8.8 mm 14.2 mm FUSILLI #232 #233 new #223 🖤 #222 •••• #224 **new** #230 #231 new #225 new 12.6 mm [2P] 13 mm 7 mm [2P] 9.8 mm [2P] 9 mm [4P] 9 mm [4P] 13 mm [4P] 14.2 mm [2P] #239 #240 #234 new #241 🙏 #242 new #243 new #244 #246 6.5 mm 8.4 mm 15.5 mm 15.5 mm 10 mm 13 mm 12.6 mm 10.5 mm [3P] [3P] [2P] [3P] [2P] [3P] [2P] [3P]


ARCOBALENOLLC.COM | 717.394.1402

EIGHT

SPECIALTY SHAPES

#251 10.4 mm Trottole		#249 11.4 mm Campanelle [with ridges]	#252 11.4mm € Campanelle
#254 11 mm Torchietti (with ridges)	€ #256 18 mm œ	#258 12.5mm Specialty 3-Loop	
	#264 11.4mm Smooth Trene	#386 10mm Trene (with ridges)	#260 17.5mm Radiatori
#267 8.3 mm Garganelli [with ridges]	#273 6.5 mm rev Torchietto [with ridges]	#268 6.6mm Messinesi	#362 10mm Rustic Torchio (with ridges)

new = New Dies 🙏 = Favorite Dies



LASAGNA SHEET DIE



CUSTOM DESIGNED SHAPES











EXTRUDER + MIXER | FOOD SERVICE

STELLA



AEX30 IMPROVING ON THE ORIGINAL



STANDARD FEATURES

- Automatically mixes and extrudes all-in-one
- Over 100 dies to choose from
- Includes automatic cutting knife for short pastas
- Water cooling feature to help maintain a constant extrusion temperature with digital temperature readout
- Industrial, high-torque motor
- Stainless steel hopper
- Removable auger & stainless steel mixing arm for easy cleaning
- Crumbly dough mixture is extruded through a solid bronze die to create over 100 possible pasta shapes
- Portable, compact & versatile machine is easy-to-use
- Factory and on-location training—the only full—service pasta machine manufacturer in North America

OPTIONAL FEATURES & ACCESSORIES

- □ APC-8 Mobile pasta cart with 8 trays
- □ APC-20 Mobile pasta cart with 20 trays
- □ Extruder dies with Teflon inserts
- □ Cooling water tank with recirculating pump & automatic on/off feature
- □ Lasagna sheet die with 7["] dough width and Adjustable Thickness: 1/32" - 3/16"
- $\hfill\square$ Rolling pin for lasagna sheet die
- □ Pasta trays solid and perforated



APC-8 Pasta Cart



CAD file available. Please contact factory 717-394-1402.


TWELVE


EXTRUDER + MIXER | FOOD SERVICE



AEX30 TECHNICAL SPECIFICATIONS

Model	AFX30
Wodel	ALASO
Hourly Production	30 lbs/hr
Flour Volume	6 lbs
Mixer Production (flour+liquid)	8 lbs per batch
(กอน กฤนเน)	
Electrical Power	110V 60Hz 4 Amps Duel Speed
Nema Plug	5-15
Cord Length	8 ft
Water Connection	1/2" BARB outlet & inlet hose connection. Outlet connects to waste line & inlet con- nects to water line.
Machine Dimension	15"W x 32.50"D x 19"H
Shipping Dimension	20"W x 36"D x 30"H
Net Weight	135 lbs
Shipping Weight	155 lbs
Shipping Class	85





■ WARRANTY

One Year: For more information visit arcobalenollc.com/warranty.html



TRY BEFORE YOU BUY

In an effort to ensure success, we maintain a test kitchen where you can have your very own recipe tested for quality — at NO COST to you! Call for details.



CAD file available. Please contact factory 717-394-1402. | Specifications subject to change without notice | © Copyright 2019 Arcobaleno™, LLC

PASTA CARTS PAIRS PERFETLY WITH AEX30

APC8 PASTA ON THE MOVE

CATERINA

APC20 TOWER OF PISA



STANDARD FEATURES

- APC8 ideal for models AEX10, AEX18 & AEX30 (Standard counter top height)
- Removable pasta trays
- NSF approved

TECHNICAL SPECIFICATIONS

Model	APC8	APC20
Trays	8	20
Cart Dimensions	19.5"W x 26.75"D x 36" H	19.5″Wx26.75″Dx71.5″H
Tray Dimensions	15.5″Wx23.5″Dx2.75″H	15.5″Wx23.5″Dx2.75″H
Net Weight	48 lbs	80 lbs

PASTA DRYER EXTENDS SHELF LIFE OF PASTA

ASD20 - LAB ARTISAN SMALL BATCH LAB DRYER



- Advanced programmable recipe dryer Programmable recipes for different
- shapes and thicknesses

Trays	20
Tray Size	31.50"W x 23.75"D
Pasta Per Tray	4 - 5 lbs
Fresh Capacity	80 - 100 lbs
Dry Capacity	60 - 80 lbs/cycle
Power	230V/3/60Hz, 16 Amps
Machine Weight	411 lbs
Machine Dimensions	51"W x 37"D x 71"H

ASD50/75/100/150/200 EXTENDS SHELF LIFE



STANDARD FEATURES

CARLEN AND ANTERNA

> Advanced programmable recipe dryer · Fan controls temperature & humidity, so product dries from the inside out



TECH SPECS	ASD50S	ASD50	ASD75 TECH	SPECS
Trays	50	50	Trays	75
Pasta per Tray	4 - 6 lbs	6 - 8 lbs	Pasta per Tray	6 - 8 lbs
Fresh Capacity	300 lbs	400 lbs	Fresh Capacity	660 lbs
Dry Capacity	240 lbs/cycle	320 lbs/cycle	Dry Capacity	480 lbs/cy
Power	230V/3/60Hz, 5.5kW	230V/3/60Hz, 6.5kW	Power	230V/3/60

ASD100 TECH SPECS

Trays	100
Pasta per Tray	6 - 8 lbs
Fresh Capacity	800 lbs
Dry Capacity	640 lbs/cycle
Power	230V/3/60Hz, 12kW

ASD150 TECH SPECS

Trays	150	Trays	200
Pasta per Tray	6 - 8 lbs	Pasta per Tray	6 - 8 lbs
Fresh Capacity	1200 lbs	Fresh Capacity	1600 lbs
Dry Capacity	960 lbs/cycle	Dry Capacity	1280 lbs/cycle
Power	230V/3/60Hz, 16kW	Power	230V/3/60Hz, 20

480 lbs/cycle 230V/3/60Hz, 8.5kW

ASD200 TECH SPECS









kW

ARCOBALENOLLC.COM | 717.394.1402

FOURTEEN

FRESHLY MILLED FLOUR HOW TO DIFFERENTIATE AND BE A LEADER IN FRESH PASTA MAKING

AFM150

FARM TO TABLE FRESH FLOUR Make fresh flour right when you need it!

STANDARD FEATURES

- Ideal for obtaining fresh flour for pasta, pastries, bread and many others
- Adjustable grinder for regulating the flour granular
- Interchangeable screens for different granularity

TECHNICAL SPECIFICATIONS

Hourly Production	Soft White Wheat 75% extract 1ph - 120 lbs/hr 3ph - 150 lbs/hr
Electrical Power	220/1/60Hz & 220/3/60Hz
Machine Dimensions	16.25″Wx16.50″Dx33.75″H



Fresh Whole Berries from the farm, fresh ground flour with interchange screens for different textures, is filled with delicious flavor, wholesome goodness, and new pastabilities!

Get ready to join the food revolution and discover fresh ground flour. Exceptional flavor-filled flour to make your fresh pasta with outstanding taste and health benefits.



SEMOLINA

Semolina flour is a granular flour with a light yellow color. It is produced fro durum wheat, which is used almost exclusively for making pasta. It is also high in protein and gluten. When using Semolina flour in a extruder, you will be delighted with superior results!



DURUM WHEAT

Durum wheat has the ideal properties form making the best pasta. It is high in protein and gluten, which are both necessary for pasta making.



WHOLE WHEAT

Whole wheat flour is produced from grinding the full wheat berry (kernel). All parts of the wheat berry are used in the flour including the bran, germ and endosperm; which when milled, creates the speckled brown color that is a characteristic of the flour.



GLUTEN FREE

Gluten is the protein present in wheat flour and it can be challenging to bake without it. Some popular gluten free flours are white rice, buckwheat, millet, masa and chickpea flour.

TYPES OF FLOUR



DOUBLE ZERO

In Italy, flour is classified as 1, 0, or 00, according to how finely ground the flour is and how much bran and germ have been removed. 00 is the most highly refined flour and is talcum powder soft, yet holds its protein and nutritional value.



MEET THE EXTRUDER FAMIGLIA! INDUSTRIAL PASTA EXTRUDERS

AEX50 PUSHING BEYOND EXCELLENCE



AEX130 IN LOVE WITH PASTA



AEX90 THE ARTISAN



AEX130M IN LOVE WITH PASTA





AEX440/440M FACTORY DUTY

DANIELLA-M



THE ONLY FULL-SERVICE PASTA MACHINE MANUFACTURER IN NORTH AMERICA!





Pasta is for sharing!



PASTA EQUIPMENT

Specifications subject to change without notice. $\ensuremath{\mathbb{C}2019}$ Arcobaleno, LLC

160 GREENFIELD ROAD | LANCASTER, PA 17601 ARCOBALENOLLC.COM | 717.394.1402

💿 🎔 🖪 🖻 @ARCOBALENOPASTA

VS_081