




ARCOBALENO®

PASTA EQUIPMENT

Making Pasta Dreams Happen!



PRODUCT CATALOG

Pasta Equipment for Home, Chefs, Food Service, Industrial



THE ONLY FULL-SERVICE
PASTA MACHINE MANUFACTURER
IN NORTH AMERICA!

We specialize in your Success!





A R C O B A L E N O[®] PASTA EQUIPMENT

Arcobaleno is the leading manufacturer of Pasta Machinery for Commercial, Restaurant and Food Service. We are located in Lancaster, PA.

Since the business was started in 1995, Arcobaleno has grown to be the only fullservice pasta machine company in the USA/Canada. We are committed to providing exceptional customer service by offering our try-before you buy showroom, with lab test kitchen, in-house machine shop, virtual technical support and training, and our investment in products and parts inventory ensures that our products ship quickly, in many cases same day.

We are members of NAFEM (North American Association of Food Equipment Manufacturers) and MAFSI (Manufacture Agents Association for Food Service). We have Sales Rep groups and dealers across the nation who sell Arcobaleno pasta equipment. Most of our service companies in the field are members of CFESA (Commercial Food Equipment Service Association).

Come make pasta with us!



TABLE OF CONTENTS

QUICK REFERENCE TO FIND YOUR FAVORITE PRODUCTS

Pasta Extruders | 3 – 4 HOME AEX5, COUNTER TOP AEX15, AEX18,

AEX20, AEX30

Industrial Extruders | 4 – 6 AEX50, AEX90/90M, AEX130/130M,

AEX440/440M, AEX440MV

Water Chiller | 5 REFWCT

Pasta Carts/Trays | 6 APC7, APC8, APC20, APTD, APTP, APTS

Pasta Dryers | 7 ASD20, ASD50/75/100/150/200

Dough Sheeters | 8 – 9

ASC300, ASC320, ASC320K, ASC420, ADS160, ADS250, ADS320/500

Pasta Cutters | 9

ATPC250/330, ADC160/250/320/500

Multi-Function | 10 – 11

AMF230, AMF240, ASC170/250, AMF160, ARD160

Multi-Function BYO | 12 AMFE50, AMF170, AMFA170

Ravioli | 13 ARS160, ARS250, ARSC250

Gnocchi/Stuffed Gnocchi | 14 – 15 AGX2+4, AGX2, AGX6, AEF150

Pasta Cookers | 15 – 19

AGD35/A35, ADGH35/HA35, AED33/AEDA33, APCT24/25, APCT2424/2525, APCL28/35, APCE28/28D, APCE35/35D, APCA35/35D, APCG28/28D, APCG35/35D, APCG35H/35HA, AGDH35/HA35

Bain-Marie Warmers | 20

ABME28/28D/35/35D, ABMG28/28D/35/35D

Specialty | 20

ASE25, ASE60

Fly Wheel Slicer | 21 AV300/350/370

Cappelletti | 21

ACAP140/250

Spiral Mixers 22

ASM10, ASM40/50, ASM100

Pizza Sheeters | 23 APS120/160, APS180, APSS200

Some optional accessories may not be featured—please contact us with any inquiries. Specifications subject to change without notice. ©2024 Arcobaleno®, LLC

EXTRUDER + MIXER HOME + NOVICE CHEF

AEX5

PERFECT MODEL FOR YOUR HOME



STANDARD COLORS Red Pink

- White Green Royal Blue
- Tiffany Blue
- Arcobaleno Yellow Matte Black
- OPTIONAL COLOR

Stainless

STANDARD FEATURES

- · Professional, portable, compact & versatile
- · Mixes and extrudes (all-in-one process)
- · Removable parts for easy cleaning
- · Stainless steel construction

TECHNICAL SPECIFICATIONS

Hourly Production*	Up to 5 lbs/hr *Production varies by pasta shape	
Mixer Capacity (flour)	500 g	
Mixer Production (flour + liquid)	650 g/batch	
Electrical Power	120Volts 60Hz 3/8HP (4 Amps)	
Machine Dimensions	8″W x 12″D x 14″H	
Shipping Dimensions	12″W x 16″D x 17″H	
Machine Weight	31 lbs	
Shipping Weight	40 lbs	

EXTRUDER + MIXER COUNTER TOP

AEX15

WITH WATER COOLING



STANDARD FEATURES

- · Over 150 dies to choose from
- 120 Volts
- Water cooling feature
 - Variable speed cutting knife for short pastas



AEX18 CHEFS' FAVORITE









perfectly with a pasta cart!

STANDARD FEATURES

- · Best ROI in your kitchen
- Over 150 dies to choose from
- 120 Volts
- Variable speed cutting knife for short pastas



BEST ROI!

Hourly Production*	Up to 15 – 20 lbs/hr *Production varies by pasta shape
Mixer Capacity (flour)	2,000 g (4.25 lbs)
Mixer Production (flour + liquid)	2,600 g/batch (5.5 lbs/batch)
Electrical Power	120Volts 60Hz 0.5HP (6 Amps)
Machine Dimensions	11"W x 30.75"D x 15"H (with knife)
Shipping Dimensions	14.50″W x 28.5″D x 23″H
Machine Weight	75 lbs
Shipping Weight	95 lbs

EXTRUDER + MIXER COUNTER TOP

AEX20

MAKING PASTA HAPPEN!



BEST ROI!






IMPROVING ON THE ORIGINAL



AEX30 WATER COOLING TANK

NO PLUMBING REQUIRED



- · Attaches to the AEX30 Extruder
- Recirculating pump with automatic on/off feature (no external water hook up needed)
- Temperature control on machine will automatically operate the pump to maintain preset temperature
- Cools machine to keep consistent extrusions

STANDARD FEATURES

- Over 150 dies to choose from
- 110 Volts
- Water cooling feature
- Variable speed cutting knife for short pastas

TECHNICAL SPECIFICATIONS

Hourly Production*	Up to 20 lbs/hr *Production varies by pasta shape
Mixer Capacity (flour)	2,500 g (5.5 lbs)
Mixer Production (flour + liquid)	3,250 g/batch (7 lbs/batch)
Electrical Power	110Volts 60Hz 6 Amps
Machine Dimensions	14.5"W x 29.25"D x 20.5"H (with knife)
Shipping Dimensions	23.75″W x 31.5″D x 31.5″H
Machine Weight	88 lbs
Shipping Weight	110 lbs

STANDARD FEATURES

- · Programmable recipe storage with adjustable mixing & extruding speeds
- Over 150 dies to choose from
- Water cooling feature
- Variable speed cutting knife for long & short pastas

TECHNICAL SPECIFICATIONS



BEST ROI

INDUSTRIAL EXTRUDER +

AEX50

PUSHING BEYOND EXCELLENCE



STANDARD FEATURES

- Variable speed on mixing + extruding
- Different cutting speeds for pasta shape sizes
- Touch screen control with preset recipes for consistency
- Electronic cutting knife for short pastas

Hourly Production*	Up to 50 lbs "Production varies by pasta shape 11 lbs (5,000 g) 14.3 lbs/batch (6,500 g/batch)	
Mixer Capacity (flour)		
Mixer Production (flour + liquid)		
Water Line	1/2″ BARB, 70 psi max cold water	
Electrical Power	220V/1/60Hz 10 Amps	
Machine Dimensions 20"W x 36"D x 52"H		
Shipping Dimensions 25″W x 42″D x 60″H		
Machine Weight	290 lbs	
Shipping Weight	325 lbs	



WATER CHILLER

REFWCT

NO PLUMBING REQUIRED

0 ш 2



Contact us for more info!

STANDARD FEATURES

· Mobile water chiller system connects to industrial extruders including models AEX50, AEX90/90M, AEX130/130M, AEX440/440M and AMFE50

BEST ROI

- Maintains product consistency
- Temperature control on machine will automatically operate the pump to maintain preset cooling temperature
- Closed loop system saves water by recirculating it
- More control over cooling temperature
- Recommended at time of purchase

INDUSTRIAL EXTRUDER





AEX90 TECH SPECS		
Hourly Production*	Up to 90 lbs *Production varies by pasta shape	
Mixer Capacity (flour)	22 lbs	
Mixer Production (flour + liquid)	Up to 30 lbs/batch	
Water Line	1/2" BARB, 70 psi max cold water	
Electrical Power 220V/1/60Hz 10 Amps		
Machine Dimensions	24"W x 42"D x 54"H	
Shipping Dimensions	29"W x 48" x 62"H	
Machine Weight	445 lbs	
Shipping Weight	490 lbs	

AEYONM TECH SPECS

AEXOUNTECH SPECS		
Hourly Production*	Up to 110 lbs *Production varies by pasta shape	
Mixer Capacity (flour)	22 lbs + 18 lbs (top mixer)	
Mixer Production (flour + liquid)	Up to 30 lbs/batch + up to 25 lbs/batch (top mixer)	
Water Line	1/2" BARB, 70 psi max cold water	
Electrical Power	220V/3*/60Hz 9 Amps *3ph must be balanced within 2%	
Machine Dimensions	27.50″W x 44″D x 62″H	
Shipping Dimensions	32.50″W x 50″D x 70″H	
Machine Weight	465 lbs	
Shipping Weight	515 lbs	

Variable speed on mixing + extruding

STANDARD FEATURES

- Different cutting speeds for pasta shape sizes
- Touch screen control with preset recipes for consistency
- Electronic cutting knife for short pastas
- AEX90M has extra mixer for continuous production

AEX130 TECH SPECS

Hourly Production*	Up to 130 lbs *Production varies by pasta shape	
Mixer Capacity (flour)	33 lbs	
Mixer Production (flour + liquid)	43-45 lbs/batch	
Water Line	1/2″ BARB, 70 psi max cold water	
Electrical Power	220V/3*/60Hz 11 Amps *3ph must be balanced within 2%	
Machine Dimensions	32″W x 58″D x 56″H	
Shipping Dimensions	38″W x 64″D x 62″H	
Machine Weight	580 lbs	
Shipping Weight	690 lbs	
	<u> </u>	

AEX130M TECH SPECS

Hourly Production*	Up to 200 lbs *Production varies by pasta shape 33 lbs + 33 lbs (top mixer)	
Mixer Capacity (flour)		
Mixer Production (flour + liquid)	43-45 lbs/batch + 43-45 lbs/batch (top mixer)	
Water Line	1/2″ BARB, 70 psi max cold water	
Electrical Power	220V/3*/60Hz 12 Amps *3ph must be balanced within 2%	
Machine Dimensions	32″W x 58″D x 65″H	
Shipping Dimensions	38″W x 64″D x 72″H	
Machine Weight	690 lbs	
Shipping Weight	800 lbs	



- Different cutting speeds for pasta shape sizes
- Touch screen control with preset recipes for consistency
- Electronic cutting knife for short pastas
- AEX130M has extra mixer for continuous production

INDUSTRIAL EXTRUDER + MIXER

AEX440/440M

FACTORY DUTY



STANDARD FEATURES

- · Variable speed on mixing + extruding
- Different cutting speeds for pasta shape sizes
- Touch screen control with preset recipes for consistency
- AEX440M/MV has extra mixer for continuous production

AEX440 TECH SPECS

Hourly Production*	Up to 400 lbs *Production varies by pasta shape
Mixer Capacity (flour)	75–100 lbs
Electrical Power	220V/3/60Hz 36 Amps
Machine Dimensions	47″W x 75″D x 65″H
Shipping Dimensions	62″W x 86″D x 81″H
Machine Weight	915 lbs
Shipping Weight	1070 lbs

AEX440MV

FACTORY DUTY WITH VERTICAL EXTRUSION



AEX440M/440MV TECH SPECS

Hourly Production*	Up to 440 lbs *Production varies by pasta shape	
Mixer Capacity (flour)	50 lbs + 100 lbs (top mixer)	
Mixer Production (flour + liquid)	Up to 80 lbs/batch + Up to 130 lbs/batch (top mixer)	
Electrical Power	220V/3/60Hz 36 Amps	
Machine Dimensions	53″W x 75″D x 70″H	
Shipping Dimensions	62″W x 86″D x 81″H	
Machine Weight	1275 lbs	
Shipping Weight	1727 lbs	

PASTA CARTS

APC7/8/20

PASTA ON THE MOVE

APTD Stackable Pasta Tray Dolly For perforated & solid trays



STANDARD FEATURES

- APC7 & APC8 ideal for models AEX18 & AEX30
- Pasta carts APC7, APC8, APC20 are NSF approved







TECH SPECS

APC7

Trays	7	8	20
Tray Dimensions (each)	15.50″W x 23.50″D x 2.75″H	15.50″W x 23.50″D x 2.75″H	15.50″W x 23.50″D x 2.75″H
Cart Dimensions	19.50″W x 26.75″D x 32″H	19.50″W x 26.75″D x 36″H	19.50″W x 26.75″D x 71.50″H
Shipping Dimensions	22″W x 29″D x 32″H	22″W x 29″D x 40″H	22″W x 29″D x 79″H
Net Weight	40 lbs	48 lbs	80 lbs
Shipping Weight	60 lbs	70 lbs	121 lbs

PASTA TRAYS

APTP

PERFORATED PASTA TRAY



APTS SOLID PASTA TRAY



STANDARD FEATURES

· Individual trays available



TECH SPECS

TECH SI ECS		
Tray Dimensions (each)	15.50″W x 23.50″D x 2.75″H	15.50″W x 23.50″D x 2.75″H
Tray Weight (each)	2.2 lbs	2.2 lbs

PASTA DRYERS

ASD₂₀

MONICA

ARTISAN SMALL BATCH LAB DRYER



STANDARD FEATURES

- · Advanced programmable recipe dryer
- · Programmable recipes for different shapes and thicknesses

TECHNICAL SPECIFICATIONS

Trays		20
Tray Size	!	31.50″W x 23.75″D
Pasta Pe	r Tray	4 - 5 lbs
Fresh Ca	pacity	80 - 100 lbs
Dry Capa	acity	60 - 80 lbs/cycle
Electrical	Power	230V/3/60Hz, 16 Amps
Machine	Dimensions	40″W x 41″D x 67″H
Shipping	Dimensions	49″W x 51″D x 75″H
Machine	Weight	411 lbs
Shipping	Weight	700 lbs

ASD50/75/100/150/200





STANDARD FEATURES

- · Advanced programmable recipe dryer
- Fan controls temperature and humidity so the product dries from the inside out

TECH SPECS	ASD50S	ASD50	ASD75
Trays	50	50	75
Tray Size	31.50″W x 23.75″D	24"W x 48"D	24"W x 48"D
Pasta per Tray	4 - 6 lbs	6 - 8 lbs	6 - 8 lbs
Fresh Capacity	300 lbs	400 lbs	660 lbs
Dry Capacity	240 lbs/cycle	320 lbs/cycle	480 lbs/cycle
Electrical Power	208-230V/3/60Hz, 5.5kW	208-230V/3/60Hz, 6.7kW	208-230V/3/60Hz, 8.5kW
Machine Dimensions	71″W x 41″D x 87″H	71″W x 55″D x 87″H	98.5″W x 65″D x 87″H
Shipping Dimensions	73″W x 44″D x 91″H	78″W x 65″D x 99″H	103″W x 70″D x 91″H
Machine Weight	710 lbs	1285 lbs	1390 lbs
Shipping Weight	925 lbs	1510 lbs	1650 lbs

TECH SPECS	ASD100	ASD150	ASD200
Trays	100	150	200
Tray Size	24"W x 48"D	24"W x 48"D	24″W x 48″D
Pasta per Tray	6 - 8 lbs	6 - 8 lbs	6 - 8 lbs
Fresh Capacity	800 lbs	1200 lbs	1600 lbs
Dry Capacity	640 lbs/cycle	960 lbs/cycle	1280 lbs/cycle
Electrical Power	208-230V/3/60Hz, 12kW	208-230V/3/60Hz, 18kW	208-230V/3/60Hz, 20kW
Machine Dimensions	98.5″W x 102″D x 87″H	98.5″W x 110″D x 87″H	98.5″W x 134″D x 95″H
Shipping Dimensions	Call Factory	Call Factory	Call Factory
Machine Weight	1740 lbs	2070 lbs	2180 lbs
Shipping Weight	1875 lbs	2250 lbs	2840 lbs

DOUGH SHEETERS | COUNTER TOP

ASC300

PERFECT COUNTER TOP SHEETER

FLAVIA



OPTIONAL CUTTER BLOCK SIZES

2mm | Spaghetti

6mm | Fettuccine

4mm | Tagliatelle

12mm | Pappardelle

STANDARD FEATURES

- · Ideal for any professional kitchen
- 2" stainless steel roller with adjustable thickness

TECHNICAL SPECIFICATIONS

Dough Sheet Width	12″
Roller Opening	0 - 3/16"
Pasta Cutter Dough Width	8.5″
Electrical Power	120V/1/60Hz 6 Amps
Machine Dimensions	17.75″W x 18.75″D x 14″H
Shipping Dimensions	21"W x 20.50"D x 25"H
Machine Weight	60 lbs
Shipping Weight	70 lbs



ASC300 Optional cutting block Available in various sizes

ASC320





ASC320K

KNURLED STAINLESS STEEL ROLLERS (FOR TEXTURED DOUGH)

STANDARD FEATURES

- 0 5/8" roller opening for thick dough
- Ergonomic! Ultra compact design
- · Patented dough thickness adjustment
- Easy-to-use, two-pass sheeter for pasta & doughs
- ASC320K Knurled Rollers for textured dough sheet - just like extruded pasta with a rustic finish!

TECHNICAL SPECIFICATIONS

Dough Sheet Width	12.5″
Roller Opening	0 - 5/8" (0 - 15mm)
Electrical Power	120V/1/60Hz 0.5HP 5 Amps
Machine Dimensions	23″W x 13″D x 18.5″H
Shipping Dimensions	29″W x 16.5″D x 30″H
Machine Weight	95 lbs
Shipping Weight	115 lbs



ASC320 & ASC420 OPTIONAL CUTTER BLOCK SIZES 2mm | Spaghetti
4mm | Taqliatelle

6.5mm | Fettuccine

12mm | Pappardelle

ASC420

SMOOTH STAINLESS STEEL ROLLERS



STANDARD FEATURES

- 0 5/8" roller opening for thick dough
- Ergonomic! Ultra compact design
- · Patented dough thickness adjustment
- Easy-to-use, two-pass sheeter for pasta & doughs

TECHNICAL SPECIFICATIONS

Dough Sheet Width	16.5″
Roller Opening	0 - 5/8" (0 - 15mm)
Electrical Power	120V/1/60Hz 0.5HP 5 Amps
Machine Dimensions	27"W x 13"D x 18.5"H
Shipping Dimensions	32″W x 20″D x 30″H
Machine Weight	110 lbs
Shipping Weight	130 lbs





AFS300/400/600

FONDANT

STANDARD FEATURES

- · Exclusive sheeter for ONLY fondant
- Counter top model single pass with up to 20 different thickness settings

DOUGH SHEETERS | AUTOMATIC

ADS160/250

AUTOMATICALLY SPOOLS DOUGH



STANDARD FEATURES

- Automatically produces continuous silky dough rolls
- Removable mixing shafts for easy cleaning
- · Heavy-duty stainless steel construction with casters
- Extra mixer available on all models (ex: 85 lbs + 85 lbs)

TECH SPECS	ADS160 1 Mixer - 45 lbs	ADS160 1 Mixer - 85 lbs	ADS250 1 Mixer - 150 lbs
Mixer Capacity	45 lbs/batch	85 lbs/batch	150 lbs/batch
Production	Up to 3.52 lbs/min Up to 210 lbs/hr	Up to 5.5 lbs/min Up to 330 lbs/hr	Up to 8.8 lbs/min Up to 528 lbs/hr
Dough Sheet Width	6.25″	6.25″	10″
Electrical Power	220V/3/60Hz 2.2KW	220V/3/60Hz 2.6KW	220V/3/60Hz 3KW
Machine Dimensions	28″W x 36″D x 55″H	43.5″W x 42″D x 55″H	61″W x 49.5″D x 60″H
Shipping Dimensions	30″W x 40″D x 60″H	50″W x 45″D x 60″H	67″W x 55″D x 65″H
Machine Weight	530 lbs	858 lbs	1145 lbs
Shipping Weight	640 lbs	968 lbs	1345 lbs



INDUSTRIAL DOUGH SHEETERS
AVAILABLE! 500 lbs/hour & up

PASTA CUTTERS

ATPC250/330

FRESH CUT PASTA TO ORDER





STANDARD FEATURES

- Cuts sheets of pasta dough into various sizes
- · Compact, table top model eliminates hand cutting
- Easy to operate

TECH SPECS	ATPC250 (4 cuts)	ATPC330 (5 cuts)
------------	------------------	------------------

Dough Sheet Width	9.75″	13″
Pasta Cutters	1.5, 2.5, 6 & 10 mm	1.5, 2.5, 6, 10 & 15 mm
Electrical Power	220V/1/60Hz 0.33HP	220V/1/60Hz 0.5HP
Machine Dimensions	18"W x 18"D x 21.75"H	19.75″W x 23.75″D x 23.75″H
Shipping Dimensions	20″W x 20″D x 25″H	22″W x 25″D x 25″H
Machine Weight	70 lbs	90 lbs
Shipping Weight	98 lbs	118 lbs

AUTOMATIC PASTA + NOODLE CUTTER

ADC160/250/320/500

CLASSIC, LONG, FLAT RIBBONS







STANDARD FEATURES

- Interchangeable cutter blocks
- Single hand adjustment for precise, uniform dough thickness (as thin as 1/32")
- Rugged, durable & dependable performance

TECH SPECS	ADC160	ADC250	ADC320
Dough Sheet Width	6.25″	10″	12.5″
Hourly Production	Up to 180 – 200 lbs per hour	Up to 260 – 280 lbs per hour	Up to 330-350 lbs per hour
Electrical Power	220V/3/60Hz 0.75HP	220V/3/60Hz 1.5HP	220V/3/60Hz 1.5HP
Machine Dimensions	31.50″W x 43.50″D x 60″H	35.50″W x 43.25″D x 60″H	39.50″W x 44″D x 60″H
Shipping Dimensions	35″W x 48″D x 65″H	40″W x 48″D x 65″H	45″W x 48″D x 65″H
Machine Weight	495 lbs	550 lbs	610 lbs
Shipping Weight	575 lbs	640 lbs	700 lbs

INDUSTRIAL PASTA CUTTERS AVAILABLE! Contact us for more information.

MULTI-FUNCTION



STANDARD FEATURES

- · Hand-rolled dough sheet to desired thickness
- Fresh cut pasta to order
- · Dough sheets great for making handmade ravioli & more

TECHNICAL SPECIFICATIONS

Dough Sheet Width	9″
Pasta Cutters (4)	2mm Spaghetti, 6mm Tagliatelle, 8mm Fettuccine, 15mm Pappardelle
Electrical Power	230V/1/60Hz (5 Amps @ 230V)
Machine Dimensions	20"W x 27.50"D x 28"H
Shipping Dimensions	23″W x 32″D x 30″H
Machine Weight	190 lbs
Shipping Weight	235 lbs

AMF240

MIXER + SHEETER + CUTTER — 3-IN-1



STANDARD FEATURES

- · Automatic dough mixer tilts into sheeter rollers
- · Hand-rolled dough sheet to desired thickness
- · Fresh cut pasta to order

TECHNICAL SPECIFICATIONS

Dough Sheet Width	9.5″
Mixer Production	18 lbs per batch
Pasta Cutters (4)	2mm Spaghetti, 6mm Tagliatelle, 8mm Fettuccine, 15mm Pappardelle
Electrical Power	230V/1/60Hz (5 Amps @ 230V)
Machine Dimensions	40″W x 32″D x 35″H
Shipping Dimensions	42″W x 35″D x 40″H
Machine Weight	264 lbs
Shipping Weight	275 lbs

ASC170/250

SHEETING & CUTTING ALL-IN-ONE



STANDARD FEATURES

- · Dough sheet thickness is adjustable by hand
- Two pasta cutter molds: 2 mm (3/32") & 6 mm (1/4")

ASC170 TECH SPECS

Dough Sheet Width	6.75″
Electrical Power	220V/1/60Hz 10 Amps
Machine Dimensions	15.50″W x 15″D x 15″H
Shipping Dimensions	20″W x 17″D x 20.50″H
Machine Weight	80 lbs
Shipping Weight	95 lbs

ASC250 TECH SPECS

Dough Sheet Width	10″
Electrical Power	220V/1/60Hz 10 Amps
Machine Dimensions	18″W x 15.50″D x 15″H
Shipping Dimensions	23″W x 22″D x 30″H
Machine Weight	140 lbs
Shipping Weight	163 lbs

Extraordinary Training, Service & Support POWERED BY

TEAM ARCOBALENO $^{ ext{@}}$

800.875.7096 service@arcobalenollc.com



MULTI-FUNCTION



RAVIOLI MACHINE










6.25″	
40 lbs	
55 lbs/batch	
Up to 150 – 180 lbs/hr	
Up to 65-80 lbs/hr	
220V/3/60Hz 20 Amps	
56″W x 33″D x 74″H	
62″W x 38″D x 76″H	
915 lbs	
1125 lbs	

STANDARD FEATURES

AUTOMATIC CUTTER

- · Automatic 4-in-1 mixer, sheeter, pasta cutter & ravioli machine
- Heavy-duty stainless steel construction
- Heavy-duty mixer with removable mixing shaft for easy cleaning
- Automatically sheets dough onto rolling pin
- · Variety of filling consistencies
- · Over 50 ravioli shapes to choose from!
- Dough thickness & filling amount for ravioli can be regulated while machine is in use
- · Interchangeable filling cups 3 qt volume
- · Automatic pasta cutter with interchangeable cutter molds
- · Machine on casters for easy positioning
- · Outboard bearings for extended machine life

ARD160 - PASTA/NOODLES, RAMEN, AND MORE!



STANDARD FEATURES

- Automatic 3-in-1 mixer, sheeter, pasta cutter
- Heavy-duty stainless steel construction Heavy-duty mixer with removable mixing
- shaft for easy cleaning Automatically sheets dough onto rolling pin
- Over 15 interchangeable pasta/noodle cutters to choose from!
- Machine on casters for easy positioning
- Outboard bearings for extended machine life

Sheeter Dough Width	6.25″
Mixer Capacity (flour)	40 lbs
Mixer Production (flour + liquid)	55 lbs/batch
Pasta Cutter Production	Up to 75 – 100 lbs/hr
Electrical Power	220V/3/60Hz 20 Amps
Machine Dimensions	57"W x 40"D x 58"H
Shipping Dimensions	64"W x 55"D x 72"H
Machine Weight	875 lbs
Shipping Weight	1090 lbs

MULTI-FUNCTION BUILD YOUR OWN

AMFE50

EXTRUDER AND MORE



OPTIONAL FEATURE -WATER COOLING TANK NO PLUMBING REQUIRED!



STANDARD FEATURES

- Pasta extruder with drive to connect machine attachments
- · Automatically mixes, kneads & extrudes all-in-one

TECHNICAL SPECIFICATIONS

Hourly Production*	Up to 50 lbs *Production varies by pasta shape
Mixer Capacity (flour)	11 lbs (5,000 g)
Mixer Production (flour + liquid)	14.3 lbs/batch (6,500 g/batch)
Water Connection	10mm (3/8") inner diameter connection hose
Electrical Power	220V/3/60Hz 1.5HP
Machine Dimensions	17.50″W x 34″D x 45″H
Shipping Dimensions	20″W x 35″D x 50″H
Machine Weight	225 lbs
Shipping Weight	290 lbs

AMF170

COMBI MASTER





STANDARD FEATURES

- · Mixer & semi-automatic dough sheeter
- Heavy-duty mixer with removable mixing shaft for easy cleaning

TECHNICAL SPECIFICATIONS

Dough Sheet Width	6.75″
Mixer Production (flour + liquid)	9 lbs per batch
Hourly Production	Up to 50 lbs per hour
Electrical Power	220V/1/60Hz 10 Amps
Machine Dimensions	15″W x 23.75″D x 25″H
Shipping Dimensions	20″W x 35″D x 50″H
Machine Weight	140 lbs
Shipping Weight	163 lbs

AMFA170

AUTOMATIC SHEETER + MIXER



STANDARD FEATURES

- · Automatically mixes, kneads and spools dough
- Heavy-duty mixer w/ removable mixing shaft for easy cleaning

TECHNICAL SPECIFICATIONS

Dough Sheet Width	6.75″
Mixer Production (flour + liquid)	26 lbs per batch
Hourly Production	Up to 55 - 100 lbs/hr
Electrical Power	220V/3/60Hz 5 Amps
Machine Dimensions	33″W x 44″D x 65″H
Shipping Dimensions	38″W x 47″D x 69″H
Machine Weight	385 lbs
Shipping Weight	460 lbs

OPTIONAL MACHINE ATTACHMENTS for AMFESO, AMF170, AMFA170



RAVIOLI MACHINE



GNOCCHI MACHINE



PASTA EXTRUDER



CUTTER BLOCK

PASTA CUTTER BLOCK WIDTHS

2MM SPAGHETTI 6MM FETTUCCINE 12MM PAPPARDELLE

RAVIOLI MACHINES

ARS160

DOUBLE SHEET GOURMET RAVIOLI



STANDARD FEATURES

- · Fresh gourmet ravioli
- · Over 50 ravioli shapes
- · Adjustable dough thickness
- · Amount of filling can be regulated
- Interchangeable filling cups 4.25 qt volume

TECHNICAL SPECIFICATIONS

Hourly Production	Up to 150 – 200 lbs per hour
Dough Width	6.25″
Electrical Power	220V/3/60Hz 1HP
Machine Dimensions	31.50″W x 23.75″D x 67″H
Shipping Dimensions	34″W x 28″D x 70″H
Machine Weight	325 lbs
Shipping Weight	475 lbs

Optional features available—call for details.









ARSC250 CONTINUOUS FILLING



STANDARD FEATURES

- · Fresh gourmet ravioli
- Over 50 ravioli shapes
- · Adjustable dough thickness
- · Amount of filling can be regulated
- Interchangeable filling cups

TECHNICAL SPECIFICATIONS

Hourly Production	Up to 250-280 lbs per hour
Dough Width	10″
Electrical Power	220V/3/60Hz 1.5HP
Machine Dimensions	31.50″W x 35.50″D x 71″H
Shipping Dimensions	36″W x 40″D x 74″H
Machine Weight	398 lbs
Shipping Weight	617 lbs

Optional features available—call for details.

STANDARD FEATURES

- · Dependable & easy to operate
- Over 50 ravioli shapes
- Adjustable dough thickness
- Continuous filling pump adds filling while the machine is in use

TECHNICAL SPECIFICATIONS

Hourly Production	Up to 440 – 550 lbs per hour
Dough Width	10″
Electrical Power	220V/3/60Hz 3HP
Machine Dimensions	31.50″W x 35.50″D x 72″H
Shipping Dimensions	36″W x 40″D x 74″H
Machine Weight	495 lbs
Shipping Weight	615 lbs

Optional features available—call for details.



RAVIOLI SHAPES, ON SHAPES, ON SHAPES

Our ravioli machines come with over 50 standard ravioli shapes, but we don't stop there. Our in-house machine shop can make your custom shape! www.ArcobalenoLLC.com/PastaShapes

GNOCCHI MACHINES

AGX2+4

TRADITIONAL + CHICCHE GNOCCHI







Chicche Gnocchi



Traditional Gnocchi

STANDARD FEATURES

- Comes with 2 forming groups for traditional gnocchi (2 punch) and 1 for chicche (4 punch)
- · Automatic flour duster sprinkles flour to avoid sticking
- Adjustable speed on cutting blade to determine desired length and size of gnocchi

TECHNICAL SPECIFICATIONS

Hourly Production	Up to 125-200 lbs/hr
Electrical Power	220V/3/60Hz (3 Amps)
Machine Dimensions	22″W x 34″D x 60″H
Shipping Dimensions	30″W x 40″D x 64″H
Machine Weight	185 lbs
Shipping Weight	260 lbs

AGX2

COUNTER TOP SOFT GNOCCHI







One standard forming cup with Gnocchi size of 5/8" (17mm) and 2 openings equipped with machine.

Optional Forming Cup Sizes:

- 1/2" (12mm) with 4 openings9/16" (14mm) with 4 openings
- 1/4" (7mm) with 6 openings for Mini Gnocchi (Chicche)

STANDARD FEATURES

- Pressure dispensing system (piston) for soft gnocchi dough
- Automatic flour duster sprinkles flour to avoid sticking
- · Simple to operate & easy to clean

TECHNICAL SPECIFICATIONS

Up to 35-50 lbs/hr
5/8″ (17mm)
220V/1/60Hz (6 Amps)
13″W x 15″D x 28″H
18″W x 20″D x 39″H
95 lbs
120 lbs

AGX6 INDUSTRIAL DUTY -- SMOOTH OR RIDGED



STANDARD FEATURES

- · Make smooth or ridged gnocchi
- Automatic flour duster sprinkles flour to avoid sticking
- Interchangeable forming group for different size gnocchi
- · Simple to operate & easy to clean

Hourly Production	Up to 450 – 550 lbs/ hr
Standard Gnocchi Size	3/8″ – 1/2″
Electrical Power	220V/3/60Hz 3HP
Machine Dimensions	35.50″W x 44″D x 67″H
Shipping Dimensions	39″W x 48″D x 70″H
Machine Weight	495 lbs
Shipping Weight	565 lbs

STUFFED GNOCCHI | CO-EXTRUDER



STANDARD FEATURES

- Produce products such as stuffed gnocchi, stuffed meat balls, stuffed biscuits, meat buns, cookies, fig bar, etc.
- · Extruder and filler all-in-one
- · AEF150 machine cart included



TECHNICAL SPECIFICATIONS

Hourly Production	Up to 154 lbs
Dough/Filling Tank Capacity	11 lbs + 11 lbs
Dough Extrusion Diameter	0.59" - 2.36"
Filling Injection Diameter	0.31" - 1.57"
Electrical Power	120V 50/60Hz 14 Amps
Machine Dimensions	29″W x 30″D x 36″H
Machine Dimensions (with cart and conveyor belt)	36″W x 36″D x 68″H
Shipping Dimensions (with cart and conveyor belt)	40″W x 50″D x 70″H
Machine Weight	322 lbs
Shipping Weight	420 lbs

OPTIONAL ACCESSORIES (SHOWN ABOVE)



□ Conveyor Belt



☐ Guillotine Cutting
Group



□ Rotating Plate



☐ Decorative Rollers Striped, smooth & inclined

PASTA COOKERS | GAS & ELECTRIC DROP IN 6 1

AGD35/A35 () ADGH35/HA35 () AED33/A33 *





AED33/A33/
DROP IN FOR COOKING SUITE



STANDARD FEATURES

- Versatile pasta cooker; cook fresh, dry foods, vegetables & more
- Convenient for counter top cooking suites
- Available with automatic water fill: AEDA33, AGDA35, ADGHA35
- Custom integration into kitchen suite is required, contact factory for details

AED33 TECH SPECS 🗲

11 gallon
230V/3/60Hz 13.5kW (33.89 Amps @ 230V)
3/4" NPTM
15.75″W x 31.50″D x 24″H
60 lbs

AGDA35 TECH SPECS 5

Tank Volume	11 gallon
Total Gas Power	47,600 BTU
Total Electric Power	120V/1/60Hz 0.018kW (0.29 Amps @ 120V)
Water Connection	3/4" NPTM
Machine Dimensions	15.75″W x 35.5″D x 33.5″H
Machine Weight	66 lbs

ADGHA35 TECH SPECS

ADGITAGO TECTI SI ECO ()		
Tank Volume	11 gallon	
Total Gas Power	80,185 BTU	
Electric	120V/1/60Hz 0.018kW (0.29 Amps @ 120V)	
Water Connection	3/4" NPTM	
Machine Dimensions	15.75″W x 35.5″D x 41.5″H	
Machine Weight	66 lbs	

PASTA COOKERS | ELECTRIC COUNTER TOP *

APCT24

ELECTRIC COUNTER TOP COOKER



PASTA



STANDARD FEATURES

- · Stainless steel construction
- 3-position temperature control
- Requires no water or drain connections (done manually)
- · 3 phase APCT25

TECHNICAL SPECIFICATIONS

Tank Volume	4.5 gallon
Power	Single Phase 230V 60Hz 4.15kW 18.04 Amps
Machine Dimensions	15.75″W x 23.75″D x 14.75″H
Shipping Dimensions	17"W x 27"D x 24"H
Machine Weight	60 lbs
Shipping Weight	75 lbs

APCT25

TECHNICAL SPECIFICATIONS (Includes all above)

Power	Three Phase 230V 60Hz 4.15kW 10.42 Amps
-------	---

APCT2424

ELECTRIC COUNTER TOP COOKER





STANDARD FEATURES

- Stainless steel construction
- 3-position temperature control
- Requires no water or drain connections (done manually)
- 3 phase APCT2525

TECHNICAL SPECIFICATIONS

Tank Volume	6.5 gallon
Power	Single Phase 230V 60Hz 6.25kW 27.17 Amps
Machine Dimensions	23.75″W x 23.75″D x 14.75″H
Shipping Dimensions	27"W x 25"D x 24"H
Machine Weight	70 lbs
Shipping Weight	85 lbs

APCT2525

TECHNICAL SPECIFICATIONS (Includes all above)

Power	Three Ph 230V	ase
	230V	60Hz
	6.25kW	15.69 Amps

PASTA BASKET LIFT | ELECTRIC 7

APCL28/35 (AUTO LIFT)

PASTA



Two APCL35s shown in combo (above)—can include 1 or 2. Call for details & to customize your setup today.

STANDARD FEATURES

 Possible cooker combo shown on the left with corresponding specifications below. Combo options are customizable to meet your needs.

APCL28 TECH SPECS

Power (Lift Only)*	230V/1/60Hz 0.35kW (1.52 Amps @ 230V)
Machine Dimensions	8″W x 27.75″D x 45.50″H
Machine Weight	145 lbs

APCL35 TECH SPECS

7.1. O 2 O 7. 2		
	Power (Lift Only)*	230V/1/60Hz 0.525kW
		(2.28 Amps @ 230V)
	Machine Dimensions	8″W x 35.25″D x 45.50″H
	Machine Weight	160 lbs

^{*} Electrical for lift(s) can be integrated into paired pasta cooker. Electrical specifications may change.

PASTA COOKERS | ELECTRIC 7

APCE28/28D

ONE OR TWO-TANK, ECO-FRIENDLY PASTA COOKER



COOKER STANDARD FEATURES

- · Stainless steel construction
- 3-position temperature control
- · Continuous water fill, overflow safety drain, and floor drain

APCE35/35D

ONE OR TWO-TANK, ECO-FRIENDLY PASTA COOKER



APCE28 TECH SPECS

Tank Volume	7 gallon
Power	230V/3/60Hz 7.8kW (19.58 Amps @ 230V)
Water Connection	3/4" NPTM
Machine Dimensions	15.75″W x 28.75″D x 36″H
Shipping Dimensions	18″W x 31″D x 40″H
Machine Weight	101 lbs
Shipping Weight	170 lbs

APCE28D TECH SPECS

Tank Volume	7 + 7 gallon
Power	230V/3/60Hz 15.6kW (39.16 Amps @ 230V)
Water Connection	3/4" NPTM
Machine Dimensions	31.50″W x 28.75″D x 36″H
Shipping Dimensions	34″W x 30″D x 40″H
Machine Weight	180 lbs
Shipping Weight	270 lbs

APCE35 TECH SPECS

Tank Volume	11 gallon
Power	230V/3/60Hz 13.5kW (33.89 Amps @ 230V)
Water Connection	3/4" NPTM
Machine Dimensions	15.75″W x 36.25″D x 36″H
Shipping Dimensions	20″W x 39″D x 40″H
Machine Weight	125 lbs
Shipping Weight	190 lbs

APCE35D TECH SPECS

Tank Volume	11 + 11 gallon
Power	230V/3/60Hz 27kW (67.68 Amps @ 230V)
Water Connection	3/4" NPTM
Machine Dimensions	31.50″W x 36.25″D x 36″H
Shipping Dimensions	35″W x 39″D x 40″H
Machine Weight	216 lbs
Shipping Weight	315 lbs

APCA35/35D

ONE OR TWO-TANK, WITH AUTOMATIC WATER FILL



- Automatic water fill Automatically maintains water level - steam or boil
- Low water cut off safety sensor will not run tank dry

APCA35 TECH SPECS

Tank Volume	11 gallon
Power	230V/3/60Hz 13.5kW (33.89 Amps @ 230V)
Water Connection	3/4" NPTM
Machine Dimensions	15.75″W x 36.25″D x 36″H
Shipping Dimensions	20″W x 39″D x 40″H
Machine Weight	125 lbs
Shipping Weight	190 lbs

APCA35D TECH SPECS

Tank Volume	11 + 11 gallon
Power	230V/3/60Hz 27kW (67.68 Amps @ 230V)
Water Connection	3/4" NPTM
Machine Dimensions	31.50″W x 36.25″D x 36″H
Shipping Dimensions	35″W x 39″D x 40″H
Machine Weight	216 lbs
Shipping Weight	315 lbs

PASTA COOKERS |

GAS

NOTE: Gas cookers can be equipped for Natural Gas or Propane



ONE OR TWO-TANK, ECO-FRIENDLY PASTA COOKER



COOKER STANDARD FEATURES

- · Stainless steel construction
- · Variable burner temperature
- Continuous water fill, overflow safety drain, and floor drain

APCG35/35D

ONE OR TWO-TANK, ECO-FRIENDLY PASTA COOKER



APCG35H/35HA ONE-TANK HIGH BTU - 80,000 BTU VICTOR OF TANK HIGH BTU - 80,000 BTU Note that the state of the

STANDARD FEATURES

- Powerful 80,185 BTU for frozen products
- Automatic water fill (APCG35HA)
- · Automatically maintains water level steam or boil (HA)
- Low water cut off safety sensor will not run tank dry (no more burnt tanks)

APCG28 TECH SPECS

Tank Volume	7 gallon
Total Power	32,400 BTU/h
Water Connection	3/4" NPTM
Machine Dimensions	15.75″W x 28.75″D x 36″H
Shipping Dimensions	18″W x 31″D x 40″H
Machine Weight	110 lbs
Shipping Weight	170 lbs

ALL COOKERS MARINE GRADE

APCG28D TECH SPECS

Tank Volume	7 + 7 gallon
Total Power	64,800 BTU/h
Water Connection	3/4" NPTM
Machine Dimensions	31.50″W x 28.75″D x 36″H
Shipping Dimensions	34″W x 31″D x 40″H
Machine Weight	180 lbs
Shipping Weight	270 lbs

APCG35 TECH SPECS

Tank Volume	11 gallon
Total Power	47,600 BTU/h
Water Connection	3/4" NPTM
Machine Dimensions	15.75″W x 36.25″D x 36″H
Shipping Dimensions	20″W x 39″D x 40″H
Machine Weight	150 lbs
Shipping Weight	210 lbs

APCG35D TECH SPECS

Tank Volume	11 + 11 gallon
Total Power	95,200 BTU/h
Water Connection	3/4" NPTM
Machine Dimensions	31.50″W x 36.25″D x 36″H
Shipping Dimensions	35″W x 39″D x 40″H
Machine Weight	216 lbs
Shipping Weight	315 lbs

APCG35H TECH SPECS

Tank Volume	11 gallon
Total Gas Power	80,185 BTU
Electric	120V/1/60Hz 0.015kW (0.24 Amps @ 120V)
Water Connection	3/4" NPTM
Machine Dimensions	15.75″W x 35.50″D x 45″H
Shipping Dimensions	17″W x 38″D x 50.25″H
Machine Weight	150 lbs
Shipping Weight	200 lbs

APCG35HA TECH SPECS

Tank Volume	11 gallon
Total Gas Power	80,185 BTU
Electric	120V/1/60Hz 0.018kW (0.29 Amps @ 120V)
Water Connection	3/4" NPTM
Machine Dimensions	15.75″W x 35.50″D x 45″H
Shipping Dimensions	17"W x 38"D x 50.25"H
Machine Weight	150 lbs
Shipping Weight	200 lbs

PASTA COOKERS | GAS



NOTE: Gas cookers can be equipped for Natural Gas or Propane



- · Powerful 160,370 BTU for frozen products
- Automatic water fill (AGDHA35)
- Automatically maintains water level steam or boil (HA)
- · Low water cut off safety sensor will not run tank dry (no more burnt tanks)

AGDH35 TECH SPECS

Tank Volume	11 + 11 gallon
Total Gas Power	160,370 BTU
Electric	120V/1/60Hz 0.029kW (0.47 Amps @ 120V)
Water Connection	3/4" NPTM
Machine Dimensions	31.75″W x 36.25″D x 45″H
Shipping Dimensions	35″W x 39″D x 50.25″H
Machine Weight	255 lbs
Shipping Weight	355 lbs

AGDHA35 TECH SPECS

Tank Volume	11 + 11 gallon
Total Gas Power	160,370 BTU
Electric	120V/1/60Hz 0.035kW (0.57 Amps @ 120V)
Water Connection	3/4" NPTM
Machine Dimensions	31.75″W x 36.25″D x 45″H
Shipping Dimensions	35″W x 39″D x 50.25″H
Machine Weight	255 lbs
Shipping Weight	355 lbs

BASKET KEY-

ALL PASTA BASKETS SOLD SEPARATELY











Counter Top Cookers Only




/	0
7	8

Basket #	1	2	3	4	5	6	7	8
Capacity* (lbs)	14-15 lbs	8–9 lbs	6–7 lbs	3–4 lbs	1–2 lbs	0.75-1 lb	2–3 lbs	1–1.5 lbs
Capacity* (oz)	224–240 oz	128–144 oz	96–112 oz	48–64 oz	16–32 oz	12–16 oz	32–48 oz	16–24 oz
Capacity* (g)	6,350-6,804 g	3,629-4,082 g	2,722–3,175 g	1,361–1,814 g	454–907 g	340–454 g	907–1,361 g	454–680 g

*For short pastas, capacity varies by shape

BASKET COMBINATIONS

FOR MODELS: APCT24/25



FOR MODELS: APCT2424/2525







FOR MODELS: APCE28/28D, APCG28/28D



















FOR MODELS: AED33/A33, APCE35/35D, APCA35/35D, APCG35/35D, APCG35H/35HA, AGDH35/HA35, AGD35/A35, ADGH35/HA35















BAIN-MARIE | ELECTRIC for GAS

ABME28/28D/35/35D

ELECTRIC BAIN-MARIE WARMER



DROP IN BAIN-MARIES F

Convenient for counter top cooking suites! Contact us for more information!

ABMG28/28D/35/35D

GAS BAIN-MARIE WARMER



· Perfect for warming food such as sauces, soups and more

TECHNICAL SPECIFICATIONS - ELECTRIC /

Model	ABME28	ABME28D	ABME35	ABME35D
Tank Volume	Refer to Steam Pans	Refer to Steam Pans	Refer to Steam Pans	Refer to Steam Pans
Total Power	230V/1/60Hz, 2.1kW	230V/3/60Hz, 4.2kW	230V/1/60Hz, 2.85kW	230V/3/60Hz, 5.7kW
Water Connection	FNPT 1/2"	FNPT 1/2"	FNPT 1/2"	FNPT 1/2"
Machine Dimensions	15.75″W x 27.75″D x 35.5″H	31.5″W x 27.75″D x 35.5″H	15.75″W x 35.5″D x 35.5″H	31.5″W x 35.5″D x 35.5″H
Machine Weight	91 lbs	135 lbs	115 lbs	168 lbs

TECHNICAL SPECIFICATIONS - GAS

Model	ABMG28	ABMG28D	ABMG35	ABMG35D	
Tank Volume	Refer to Steam Pans	Refer to Steam Pans	Refer to Steam Pans	Refer to Steam Pans	
Total Power	11,937 BTU/h, 3.5kW	22,168 BTU/h, 6.5kW	11,937 BTU/h, 3.5kW	22,168 BTU/h, 6.5kW	
Water Connection	FNPT 1/2"	FNPT 1/2"	FNPT 1/2"	FNPT 1/2"	
Machine Dimensions	15.75″W x 27.75″D x 35.5″H	31.5″W x 27.75″D x 35.5″H	15.75″W x 35.5″D x 35.5″H	31.5″W x 35.5″D x 35.5″H	
Machine Weight	108 lbs	150 lbs	124 lbs	179 lbs	

STEAM PAN OPTIONS

FOR ALL GAS + ELECTRIC BAIN-MARIE WARMERS













SPECIALTY

ASE25 & ASE60

AUTOMATING HANDMADE!









STANDARD FEATURES

- Counter top (ASE25) or free standing (ASE60)
- Produces a variety of shapes: orecchiette, orecchioni, ricciarelli, foglie, maccheroni al pettine lunghi, strozzapreti, fagiolini, calabresi diagonali, maccheroni al ferro, genovesi & more

ASE25 (Counter Top) TECH SPECS

Hourly Production	Up to 25 lbs/hr
Electrical Power	120V/1/60Hz
Machine Dimension	16″W x 45″D x 37.5″H
Shipping Dimensions	21″W x 43″D x 45.5″H
Machine Weight	150 lbs
Shipping Weight	190 lbs

ASE60 (Free Standing) TECH SPECS

Hourly Production	Up to 60 lbs/hr
Electrical Power	120V/1/60Hz
Machine Dimension	26.75″W x 45″D x 60″H
Shipping Dimensions	36″W x 52.5″D x 67″H
Machine Weight	510 lbs
Shipping Weight	830 lbs

FLY WHEEL SLICER - CHARCUTERIE

AV300/350/370



STANDARD MODEL COLORS



Red

Shown with optional cast iron stand with casters




Black

STANDARD FEATURES

- Flower fly wheel & stainless steel receiving table
- Built-in sharpening & deburring stone
- Each model has a cut thickness of 0 2.5mm









Tiffany Blue



Arcobaleno Yellow

Please refer to www.ralcolor.com for custom color choices.

TECH SPECS	AV300	AV350	AV370
Blade Size	11.8″	13.7″	14.5″
Cutting Size	9″L x 7″H	10.75"L x 9.50"H	10.75"L x 10"H
Cut Thickness Range	0-2.5mm, 9 positions	0-2.5mm, 9 positions	0-2.7mm, 9 positions
Fly Wheel Slicer Dimensions	23.75″W x 28.5″D x 23″H	28″W x 34.25″D x 27.5″H	29″W x 35″D x 27″H
Fly Wheel Slicer Shipping Dimensions	30″W x 30″D x 33″H	30″W x 38″D x 30″H	35″W x 40″D x 30″H
Fly Wheel Slicer Weight	110 lbs	180 lbs	180lbs
Fly Wheel Slicer Shipping Weight	130 lbs	230 lbs	330 lbs
Stand + Casters Dimensions	24″W x 24″D x 32″H	30.5″W x 26.5″D x 32″H	30.5″W x 26.5″D x 32″H
Stand + Casters Shipping Dimensions	29″W x 31″D x 41″H	45″W x 40″D x 40″H	45″W x 40″D x 40″H
Stand + Casters Weight	180 lbs	230 lbs	230 lbs
Stand + Casters Shipping Weight	230 lbs	280 lbs	280 lbs

CAPPELLETTI

ACAP140/250

PINCHED



STANDARD FEATURES

- Production of single sheet cappelletti, tortellone & ravioli
- Adjustable dough & filling
- · Interchangeable molds

TECH SPECS	ACAP140	ACAP250	
Hourly Production	Up to 85-110 lbs/hour	Up to 110-220 lbs/hr	
Electrical Power	220V/3/60Hz 2HP (6 Amps)	220V/3/60Hz 2.5HP	
Machine Dimensions	36″W x 31.50″D x 61″H	43.75″W x 31.50″D x 61″H	
Shipping Dimensions	40″W x 36″D x 65″H	46″W x 36″D x 65″H	
Machine Weight	658 lbs	756 lbs	
Shipping Weight	818 lbs	947 lbs	

SPIRAL MIXERS

ASM10

VARIABLE SPEED SPIRAL MIXER

ADRIANNA







AVAILABLE COLORS



Red



Napoli Blue



Black



Arcobaleno Yellow

STANDARD FEATURES

- · Designed to perform for pasta, pizza, and bakery doughs
- · Bowl rotates while the hook is spinning
- Mixer comes with a breaker bar to assist with the mixing & kneading
- Perfect size for the counter top!

TECH SPECS

Bowl Capacity	7 liters (7 quarts)
Mixer Production (flour + liquid)	Up to 10 lbs/batch
Speeds	Variable Speed
Electrical Power	110V/1/60Hz 5 Amps
Machine Dimensions	14″W x 19″D x 14.5″H
Shipping Dimensions	20″W x 24″D x 20″H
Machine Weight	80 lbs
Shipping Weight	90 lbs

ASM40/50 DOUGH DEVELOPMENT



STANDARD FEATURES

- · Stainless steel bowl (non-removable) with spiral shaft
- · Rotating bowl for optimum production
- Produces less friction & heat for superior results
- Casters with deployable, stabilizing feet

TECH SPECS ASM40 ASM50

Bowl Capacity	40 liters (42 quarts)	50 liters (53 quarts)
Mixer Production (flour + liquid)	Up to 85 lbs/batch	Up to 95 lbs/batch
Speeds	Variable Speed	2 speeds
Electrical Power	220V/1/60Hz 2HP 7 Amps	220V/3/60Hz 3HP 8 Amps
Machine Dimensions	19.5″W x 31″D x 29″H	22″W x 33″D x 30″H
Shipping Dimensions	24″W x 36″D x 38″H	24"W x 36"D x 38"H
Machine Weight	255 lbs	290 lbs
Shipping Weight	285 lbs	305 lbs

ASM100

FOR HIGH HYDRATION DOUGHS



STANDARD FEATURES

- · For High Hydration doughs
- · Ideal for pizzeria, bakery, and pastry doughs
- Fixed head spiral mixer with 2 motors (spiral and bowl)
- · Stainless steel bowl (non-removable) with spiral shaft
- Rotating bowl for optimum production
- Touch screen controls with pre-set recipes and programmable recipe storage
- · Belt transmission
- Temperature Probe
- · Casters with deployable, stabilizing feet

TECHNICAL SPECIFICATIONS

s (105 quarts)
5 lbs/batch
up to 230 rpm (spiral) up to 16 rpm (bowl)
60Hz 12 Amps
x 43.75″D x 47″H
48″D x 55″H

Allow your **PASSION** to become your **PURPOSE**, and it will one day become your **PROFESSION**

PIZZA SHEETERS

APS120/160

TWO PASS



STANDARD FEATURES

- · Adjustable roller width on top and bottom
- Sheets dough balls up to 16" in diameter
- · Two-pass dough sheeter

APS180

ERGONOMIC DESIGN



APSS200 PARALLEL

STAINLESS STEEL ROLLERS



APS120 TECH SPECS

Roller Sheet Width	Upper - 5.50" Lower - 12"
Upper Roller Opening	1mm - 1/4"
Lower Roller Opening	0.75mm - 3/16"
Portion Weight	1 oz - 10.50 oz
Production	Up to 250 pieces/hr
Electrical Power	120V
Machine Dimensions	16.5″W x 16.5″D x 28″H
Shipping Dimensions	20″W x 20″D x 33″H
Machine Weight	75 lbs
Shipping Weight	95 lbs

APS160 TECH SPECS

Roller Sheet Width	Upper - 5.50" Lower - 16"
Upper Roller Opening	1mm - 1/4"
Lower Roller Opening	0.75mm - 3/16"
Portion Weight	1 oz - 25 oz
Production	Up to 250 pieces/hr
Electrical Power	120V
Machine Dimensions	20.50″W x 21″D x 32″H
Shipping Dimensions	25″W x 26″D x 37″H
Machine Weight	95 lbs
Shipping Weight	115 lbs

STANDARD FEATURES

- Reduce labor & increase consistency
- · Sheets dough balls up to 18" in diameter
- · Two-stage dough roller

TECHNICAL SPECIFICATIONS

Roller Sheet Width	Upper - 8.50" Lower - 18"
Upper Roller Opening	1mm - 1/4"
Lower Roller Opening	0.75mm - 3/16"
Portion Weight	1 oz - 28 oz
Hourly Production	Up to 250 pieces/hr
Electrical Power	120V
Machine Dimensions	21″W x 12″D x 31″H
Shipping Dimensions	25″W x 28″ D x 34″H
Machine Weight	110 lbs
Shipping Weight	130 lbs

STANDARD FEATURES

- · Simple hand adjustment for exact dough thickness
- · Compact, counter top design is ideal for limited space
- Stainless steel rollers
- · Removable spring-loaded scrapers for easy cleaning

Upper - 16" Lower - 20"
0 - 3/16"
0.5mm - 3/16"
1 oz –30 oz
Up to 200 - 250 pieces/hr
120V/1/60Hz (8 Amps)
25″W x 22″D x 30″H
27"W x 28"D x 34"H
100 lbs
125 lbs



ALLIANCES + AFFILIATIONS

















Years of Making Pasta Happen!



PASTA EQUIPMENT

717.394.1402 160 GREENFIELD ROAD LANCASTER, PA 17601 INFO@ARCOBALENOLLC.COM

#PastalsForSharing #MakingPastaHappen #ArcobalenoFamily